SAFETY DATA SHEETS

Chromium Automated Library Construction Reagent Kits

Automated Library Construction Kit-B, Module 2, 24 rxns PN-1000580 Automated Library Construction Kit-B, Module 2, 4 rxns PN-1000596

REAGENTS	PN
Automated Library Construction Kit-B, Module 2	2000862



Ed 1



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/26/2021

Reviewed on 01/01/2021

- · Product Identifier
- Trade Name: Automated Library Construction Kit-B Module 2
- Product Number: 2000862
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: No Further Information
- · Application of the substance / the mixture: Industry Specific Application
- Details of the Supplier of the Safety Data Sheet:
 Manufacturer/Supplier: 10x Genomics
 6230 Stoneridge Mall Road
 Pleasanton, CA 94588 USA
 1 925 401 7300
 https://www.10xgenomics.com/

• Emergency telephone number: 1 925 401 7300

2 Hazard(s) Identification

· Classification of the substance or mixture:



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2B H320 Causes eye irritation.

· Label elements:

· Hazard pictograms:



· Signal word: Warning

· Hazard statements:

H315+H320 Causes skin and eye irritation.

Precautionary statements:

- P264 Wash thoroughly after handling.
- P280 Wear protective gloves.
- P302+P352 If on skin: Wash with plenty of water.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P337+P313 If eye irritation persists: Get medical advice/attention.

Unknown acute toxicity:

- This value refers to knowledge of known, established toxicological or ecotoxicological values.
- 0 % of the mixture consists of component(s) of unknown toxicity.
- Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/26/2021

Reviewed on 01/01/2021

Trade Name: Automated Library Construction Kit-B Module 2

• NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE0Fire = 0REACTIVITYPhysical Hazard = 0

Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

· Chemical characterization: Substance

· Description: Mixture of substances listed below with non-hazardous additions.

Dangerous Components:		
CAS: 56-81-5 RTECS: MA 8050000	Glycerine	
	Trade Secret	
	🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
	Trade Secret	
	🔗 Skin Corr. 1A. H314	

Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

Skin Irrit. 2; H315: 5 % ≤ C < 15 % Eye Irrit. 2; H319: 5 % ≤ C < 15 %

Specific concentration limits: Skin Corr. 1A; H314: $C \ge 15 \%$

4 First-Aid Measures

· Description of first aid measures

- After inhalation: In case of unconsciousness place patient stably in the side position for transportation.
- · After skin contact:

Wash with soap and water.

If skin irritation occurs, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

• *After swallowing:* Do not induce vomiting without medical advice.

· Information for doctor

· Most important symptoms and effects, both acute and delayed: No further relevant information available.

Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No further relevant information.

0-12%

2-12%

≤2.5%



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/26/2021

Reviewed on 01/01/2021

Trade Name: Automated Library Construction Kit-B Module 2

- · Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Do not inhale gases / fumes /aerosols

Avoid contact with skin, eyes and clothing.

Environmental precautions: Dilute with plenty of water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

PAC-1 :	Objection	45
56-81-5	Glycerine	45 mg/m³
	Trade Secret	43 mg/m ³
	Trade Secret	0.20 mg/m³
PAC-2:		
56-81-5	Glycerine	180 mg/m³
	Trade Secret	470 mg/m ³
	Trade Secret	8.7 mg/m³
PAC-3:		
56-81-5	Glycerine	1,100 mg/m³
	Trade Secret	5,400 mg/m³
	Trade Secret	160 mg/m³

· Handling

- Precautions for safe handling:
- Avoid release into the environment.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by storerooms and receptacles: Store at room temperature.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s): No further relevant information available.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/26/2021

Reviewed on 01/01/2021

Trade Name: Automated Library Construction Kit-B Module 2

8 Exposure Controls/Personal Protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters:

Components with occupational exposure limits:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituents have no known exposure limits.

56-81-5 Glycerine

- PEL Long-term value: 15* 5** mg/m³
 - mist; *total dust **respirable fraction
- TLV TLV withdrawn-insufficient data human occup. exp.

Trade Secret

PEL Long-term value: 1 mg/m³

- REL Long-term value: 1 mg/m³
- TLV Long-term value: 0.2* mg/m³
- *as thoracic fraction

· Additional information: The lists that were valid during the creation of this SDS were used as basis.

• Exposure controls:

· Personal protective equipment

• General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

Eye protection:



Tightly sealed goggles

· Limitation and supervision of exposure into the environment: None



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/26/2021

Reviewed on 01/01/2021

Trade Name: Automated Library Construction Kit-B Module 2

Information on basic physical and	chemical properties
General Information Appearance:	
Form:	Liquid Clear, colorloso
Color: Odor:	Clear, colorless Odorless
Odor threshold:	Not determined.
pH-value:	Not applicable.
Change in condition Melting point/Melting range:	Not determined.
Flash point:	None
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	≥400 °C (≥752 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined. Not determined.
Upper:	
Vapor pressure:	Not determined.
Density: Relative density:	Not determined.
Vapor density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with:	
Water:	Fully miscible.
Partition coefficient (n-octanol/wa	<i>ter):</i> Not determined.
Viscosity:	
Dynamic: Kinematic:	Not determined. Not determined.
Other information:	No further relevant information available.

· *Reactivity:* No further relevant information available.

- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Contact with moisture, acids and bases.
- *Incompatible materials:* Strong oxidizing agents, strong reducing agents Strong acids, strong bases

(Contd. on page 6)



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/26/2021

Reviewed on 01/01/2021

Trade Name: Automated Library Construction Kit-B Module 2

· Hazardous decomposition products: No dangerous decomposition products known.

I D/I C50	vicity: values that are	relevant for classification:
56-81-5 G		
Oral	LD50	12600 mg/kg (Rat)
Dermal	LD50	>10000 mg/kg (Rabbit)
		>50000 mg/l (Trout)
Trade Sec		
Oral	LD50	3310 mg/kg (Rat)
Dermal	LD50	>2000 mg/kg (Rat)
Trade See	cret	
Oral	LD50 Oral	2140 ml/kg (Rat)
Inhalative	LC50/96 hours	375 mg/l (Rat)
Primary i	r ritant effect: c in: Irritant to ski	Sulfuric acid is harmful by all routes of entry.
Primary in On the sk On the ey Additiona The prod preparatio Irritant Carcinog IARC (Interdet)	tin: Irritant to skin re: Irritating effect al toxicological uct shows the ons: enic categories ernational Agen	Sulfuric acid is harmful by all routes of entry. n and mucous membranes. ct. <i>information:</i> following dangers according to internally approved calculation method s: mcy for Research on Cancer):
Primary in On the sk On the ey Additiona The prod preparatio Irritant Carcinog IARC (Inte Trade Sec	tin: Irritant to skin re: Irritating effect al toxicological uct shows the ons: enic categories ernational Agen cret	Sulfuric acid is harmful by all routes of entry. n and mucous membranes. ct. <i>information:</i> following dangers according to internally approved calculation method s: ncy for Research on Cancer): 7664-
Primary in On the sk On the ey Additiona The prod preparatio Irritant Carcinog IARC (Inte Trade Sec NTP (Nati	tin: Irritant to ski re: Irritating effect al toxicological uct shows the ons: enic categories ernational Agen cret ional Toxicolog	Sulfuric acid is harmful by all routes of entry. n and mucous membranes. ct. <i>information:</i> following dangers according to internally approved calculation method c: <i>incy for Research on Cancer):</i> 7664- <i>ty Program):</i>
Primary in On the sk On the ey Additiona The prod preparatio Irritant Carcinog IARC (Inte Trade Sec NTP (Nati	tin: Irritant to skin re: Irritating effect al toxicological uct shows the ons: enic categories ernational Agen cret	Sulfuric acid is harmful by all routes of entry. n and mucous membranes. ct. <i>information:</i> following dangers according to internally approved calculation method c: <i>incy for Research on Cancer):</i> 7664- <i>ty Program):</i>
Primary in On the sk On the ey Additiona The prod preparatio Irritant Carcinog IARC (Inte Trade Sec NTP (Nati	tin: Irritant to ski re: Irritating effect al toxicological uct shows the ons: enic categories ernational Agen cret ional Toxicolog	Sulfuric acid is harmful by all routes of entry. n and mucous membranes. ct. <i>information:</i> following dangers according to internally approved calculation method c: <i>incy for Research on Cancer):</i> 7664- <i>ty Program):</i>

· Toxicity:

	•
· Aquat	tic toxicity:
Trade	Secret
EC50	12 mg/l (Algae - Selenastrum capricornutum) (96 HOURS)
	0.148 mg/l (Daphnia) (48 hours)
Trade	Secret
EC50	22 mg/l (Daphnia)
Doroid	tenes and deared ability. No further relevant information available

• **Persistence and degradability:** No further relevant information available.

· Behavior in environmental systems:

· Bioaccumulative potential: No further relevant information available.

· *Mobility in soil:* No further relevant information available.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/26/2021

Reviewed on 01/01/2021

Trade Name: Automated Library Construction Kit-B Module 2

· Additional ecological information:

· General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- *vPvB:* Not applicable.
- Other adverse effects: No further relevant information available.

13 Disposal Considerations

· Waste treatment methods · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport Information

· UN-Number:	
· DOT, ADR/ADN, ADN, IMDG, IATA	Non-Regulated Material
 UN proper shipping name: 	
DOT, ADR/ADN, ADN, IMDG, IATA	Non-Regulated Material
 Transport hazard class(es): 	
· DOT, ADR/ADN, ADN, IMDG, IATA	
Class:	Non-Regulated Material
· Packing group:	
DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material
 Environmental hazards: 	Not applicable.
 Special precautions for user: 	Not applicable.
 Transport in bulk according to Annex II 	of
MARPOL73/78 and the IBC Code:	Not applicable.
· UN "Model Regulation":	Non-Regulated Material
15 Regulatory Information	

Safety health and environmental regulations/legislation specific

- Safety, health and environmental regulations/legislation specific for the substance or mixture: No further relevant information available.
- SARA (Superfund Amendments and Reauthorization):
 Section 355 (extremely hazardous substances):
 Trade Secret
 Section 313 (Specific toxic chemical listings):
 Trade Secret
 Trade Secret
 TSCA (Toxic Substances Control Act):
 All components have the value ACTIVE.
 Hazardous Air Pollutants
 None of the ingredients are listed.

(Contd. on page 8)



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/26/2021

Reviewed on 01/01/2021

CHEIIIIC	als known to cause cancer:	
None of	the ingredients are listed.	
Chemic	als known to cause reproductive toxicity for females:	
None of	the ingredients are listed.	
Chemic	als known to cause reproductive toxicity for males:	
None of	the ingredients are listed.	
Chemic	als known to cause developmental toxicity:	
None of	the ingredients are listed.	
New Je	sey Right-to-Know List:	
56-81-5	Glycerine	
	Trade Secret	
New Je	sey Special Hazardous Substance List:	
Trade S	ecret	CA, CO, R
Pennsy	Ivania Right-to-Know List:	
56-81-5	Glycerine	
	Trade Secret	
Pennsy	Ivania Special Hazardous Substance List:	
Trade S	ecret	
Carcino	genic categories:	
	vironmental Protection Agency):	
None of	the ingredients are listed.	
TLV (Th	reshold Limit Value established by ACGIH):	
Trade S	ecret	A
NIOSH-	Ca (National Institute for Occupational Safety and Health):	
None of	the ingredients are listed.	
GHS lat The proc	bel elements duct is classified and labeled according to the Globally Harmonized System (GHS). pictograms:	

Precautionary sta	itements:
P264	Wash thoroughly after handling.
P280	Wear protective gloves.
P302+P352	If on skin: Wash with plenty of water.
P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/26/2021

Reviewed on 01/01/2021

Trade Name: Automated Library Construction Kit-B Module 2

P337+P313 If eye irritation persists: Get medical advice/attention.

National regulations:

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Contact:

- · Date of last revision/ revision number: 10/26/2021 / 3
- Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106